

SURGICAL RESULTS from LADARVISION Laser Surgery

Visual Acuity Without Lenses expressed in Percentage of Treated Patients

Range of Correction	PreOperative			1 Mth PostOperative			3 Mths PostOperative			6 Mths PostOperative			Summary 6 Mths
	20/15 to 20/25	20/30 to 20/40	Worse than 20/40	20/15 to 20/25	20/30 to 20/40	Worse than 20/40	20/15 to 20/25	20/30 to 20/40	Worse than 20/40	20/15 to 20/25	20/30 to 20/40	Worse than 20/40	Most Activities without Glasses (20/15 to 20/40)
Low Nearsighted With or Without Astigmatism (Range: 0 to 3.00D)	0	0	100	90	9	1	93.3	6	0.7	96.7	3	0.3	99.7
Moderate Nearsighted With or Without Astigmatism (Range: >-3.00 to -6.00D)	0	0	100	84	13	3	85	12	3	91	7.7	1.3	98.7
High Nearsighted With or Without Astigmatism (Range: >-6.00 to -8.00D)	0	0	100	84	14	2	90.6	9	0.4	91	8.6	0.4	99.6
Very High Nearsighted With or Without Astigmatism: (Range: >-8.00D)	0	0	100	74.5	24	1.5	81.4	17	1.6	88.2	11	0.8	99.2
Farsighted With or Without Astigmatism (Range: Worse than 0 to +9.00D)**	0	2	98	100	0	0	100	0	0	100	0	0	100

** Number too small to be statistically relevant (fewer than 100 people)